


Please type a plus sign (+) inside this box → +



PTO/SB/08A (08-00)

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

| | | | |
|--|----|------------------------|------------------------|
| Substitute for form 1449A/PTO | | Complete If Known | |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(use as many sheets as necessary)</i> | | Application Number | 10/772,040 |
| Sheet | 1 | Filing Date | February 4, 2004 |
| | of | First Named Inventor | Robert F. Rioux, et al |
| | 1 | Group Art Unit | Not-Yet-Assigned |
| | | Examiner Name | Not-Yet-Assigned |
| | | Attorney Docket Number | 28-7034802001 (03-253) |

| OTHER DOCUMENTS -- NON PATENT LITERATURE | | | |
|--|-----------------------|---|----------------|
| Examiner Initials * | Cite No. ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ² |
| KClw | 1. | AHMED, Muneeb, MD, et al "Improved Coagulation with Saline Solution Pretreatment during Radiofrequency Tumor Ablation in a Canine Model" J Vasc Interv Radiol 2002; 13: 717-724 | |
| KClw | 2. | BOEHM, Thomas, MD, et al "Radio-frequency Tumor Ablation: Internally Cooled Electrode versus Saline-enhanced Technique in an Aggressive Rabbit Tumor Model" Radiology 2002; 222: 805-813 | |

| | | | |
|--------------------|---------------------|-----------------|------------------|
| Examiner Signature | Kenneth C. Williams | Date Considered | December 7, 2005 |
|--------------------|---------------------|-----------------|------------------|

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Alexandria, VA 22313-1450.

Please type a plus sign (+) inside this box →


PTO/SB/08A (08-00)

Approved for use through 10/31/2002, OMB 0651-0031

U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

* Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

| | | | |
|---|---|--------------------------|------------------------|
| Substitute for form 1449A/PTO | | <i>Complete if Known</i> | |
| SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(use as many sheets as necessary)</i> | | Application Number | 10/772,040 |
| | | Filing Date | February 4, 2004 |
| | | First Named Inventor | Robert F. Rioux, et al |
| | | Group Art Unit | 3739 |
| | | Examiner Name | Not-Yet-Assigned |
| Sheet | 1 | of | 1 |
| | | Attorney Docket Number | 28-7034802001 (03-253) |



| U.S. PATENT DOCUMENTS | | | | | |
|-----------------------|-----------------------|----------------------|--------------------------------------|---|---|
| Examiner Initials * | Cite No. ¹ | U.S. Patent Document | | Name of Patentee or Applicant of Cited Document | Date of Publication of Cited Document MM-DD-YYYY |
| | | Number | Kind Code ² (if known) | | |
| KCW | 1. | 5,279,569 | | Neer et al | 01-18-1994 |
| | 2. | 5,861,513 | | Swanson et al | 10-05-1999 |
| | 3. | 6,099,526 | | Whayne et al | 08-08-2000 |
| | 4. | 6,235,022 | | Hallock et al | 05-22-2001 |
| | 5. | 6,379,353 | | Nichols | 04-30-2002 |
| | 6. | 6,475,213 | | Whayne et al | 11-05-2002 |
| KCW | 7. | 2002/0183638 | | Swanson | 12-05-2002 |
| | | | | | |

| OTHER DOCUMENTS -- NON PATENT LITERATURE | | | |
|--|-----------------------|---|----------------|
| Examiner Initials * | Cite No. ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ² |
| KCW | 8. | PCT International Search Report for PCT/US2005/000483, Applicant: Scimed Life Systems, Inc., Forms PCT/ISA/210 and 220, dated April 14, 2005 (7 pages) | |
| KCW | 9. | PCT Written Opinion of the International Search Authority for PCT/US2005/000483, Applicant: Scimed Life Systems, Inc., Form PCT/ISA/237, dated April 14, 2005 (4 pages) | |

| | | | |
|--------------------|---------------------|-----------------|------------------|
| Examiner Signature | Kenneth C. Williams | Date Considered | December 7, 2005 |
|--------------------|---------------------|-----------------|------------------|

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Alexandria, VA 22313-1450.

PA/52156741.1